

COPY OF PAPERS
ORIGINALLY FILED

MAY 31 2002

I HEREBY CERTIFY THAT THIS CORRESPONDENCE IS BEING DEPOSITED WITH THE UNITED STATES POSTAL SERVICE AS FIRST CLASS MAIL IN AN ENVELOPE ADDRESSED TO ASSISTANT COMMISSIONER FOR PATENTS, WASHINGTON, D.C. 20231, ON THE DATE INDICATED BELOW.

By: M. Belisario

Date: 5/9/02

PATENT

03/01/02
L.P.
19-19-02
H3/Praffman
Letter

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re:	William T. Gurnee et al.	: Attn: Official Draftsman
Conf. No.:	6477	: :
Appln. No.:	10/087,042	: Group Art Unit : 3761
Filed:	February 28, 2002	: :
For:	HYPERBARIC OXYGEN THERAPY SYSTEM CONTROLS	: Attorney Docket : No. 383-9U1

TRANSMITTAL OF FORMAL DRAWINGS

In response to the Notice To File Corrected Application Papers (copy enclosed) mailed April 5, 2002, enclosed are sixteen (16) sheets of drawings, Figures 1 through 12b, concerning the above-identified application.

Prompt review and approval of the enclosed Formal Drawings are respectfully requested.

Respectfully submitted,
WILLIAM T. GURNEE et al.

May 9, 2002
Date

By: Martin G. Belisario

MARTIN G. BELISARIO
Registration No. 32,886
AKIN, GUMP, STRAUSS, HAUER & FELD, L.L.P.
One Commerce Square
2005 Market Street - Suite 2200
Philadelphia, PA 19103
Telephone: (215) 965-1200
Direct Dial: (215) 965-1303
Facsimile: (215) 965-1210
E-Mail: mbelisario@akingump.com

MGB:msb
Enclosures



JC88

MAY 3 2002

COPY OF 10087042 .053102
ORIGINAL Page 1 of 1

UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/087,042	02/28/2002	W. T. Gurnee	383-9U1

CONFIRMATION NO. 6477

000570
AKIN, GUMP, STRAUSS, HAUER & FELD, L.L.P.
ONE COMMERCE SQUARE
2005 MARKET STREET, SUITE 2200
PHILADELPHIA, PA 19103

FORMALITIES LETTER



OC000000007802752

Date Mailed: 04/05/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

A - Test Sample
Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE